

Mapping Human Toxicity and Disease Pathways in ToxCastTM

ToxCast Data Analysis Summit

EPA, RTP

May 15, 2009



Holly M. Mortensen
EPA, ORD, National Center for Computational Toxicology, RTP, NC

This work was reviewed by EPA and approved for presentation but does not necessarily reflect official Agency policy. Mention of trade names or commercial products does not constitute endorsement or recommendation by EPA for use.



ToxCast Pathway Approach

Bioinformatics

database building and data analysis

Systems Biology

mathematical modeling and reasoning to describe/infer biological phenomena

Computational Chemistry


mathematical modeling of physical-chemical properties at the molecular level

Molecular Biology


HTS technologies-genomics, proteomics, and metabolomics




ToxMiner Pathway Database




chemicals








Pathways/Processes Identified by Analyses of ToxCast Data




	Human	Rat
GO	1104	336
GO KEGG	166	9
Ingenuity	180	39
GeneGO	385	-
Total Unique Entrez GeneID	236	51



Pathway for Isoniazid Metabolism



What is a Pathway?



adapted from KEGG Global Pathway Map (http://www.genome.jp/kegg/)

molecular pathway (muh-LEH-kyoo-ler...)


A series of actions among molecules in a cell that leads to a certain endpoint or cell function.

(taken from the NCI Dictionary of Cancer Terms)



ToxCast Assay Targets in the PPAR Signaling Pathway


- Biologically Multiplexed Activity Profiling (BioMAP)
- Multiplex Transcription Reporter Assay
- Cell-based HTS Assays
- Cell-free HTS Assays
- O High Content Cell Imaging Assays



@ 2000-2009 Ingenuity Systems, Inc. All rights reserved.




KEGG Pathways






Gene Ontology Processes






Disorder Classes Probed by ToxCast Assays





Office of Research and National Center for Con





Genes Probed with ToxCast Assays by Disorder Class





CYP2B6

Renal Gastrointestinal Blood Genetic Loci Associated with Rat Liver Proliferative Lesions



Future Directions

- Statistical Sound Approaches to Network Estimation
 - clustering coefficients
 - aggregate bootstrap
- Additional Data to Understand Toxicity Pathways
 - other HTS assays
 - direct testing of failed pharmaceuticals
 - •in vivo data
 - modular networks/unsupervised methods

